TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE OBMP.

Address 2nd main Rd. Bhoothasandra B.Lo

GSTIN :

BILL No. **YNK/17/** 07178

DATE : 23/12/17 TIME : 11.32 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ϕ CS34532	01	1466.67	1466.	67

BESCOM DVN : E9

W.O. No. E-40849 Date 22/12/17

Total Invoice Value (In Words) : One Thousand seven hundred Thirty. Sixty Seven Paise

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE SBM

Address Sabanigere
Thanisandra
B Lo

GSTIN :

BILL No. **YNK/17/** 07179

DATE : 23/12/17 TIME : 11.34 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ph CS34533	01	1466.67	1466.	67
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

BESCOM DVN : G9

W.O. No. E-40850 Date 22/12/17

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Only Seven Rupees Sixty

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name: AEE SDMP.
Address: 8th Cy.
RKH Nagar
D-4
GSTIN :

BILL No. **YNK/17/** 07180

DATE : 23/12/17 TIME : 11.36 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos. 3ph CS34534	01	1466.67	1466.	67

BESCOM DVN : EQ	CGST @ 9%	132.	00
W.O. No. E-40852 Date 22/12/17	SGST @ 9%	132.	00
Total Invoice Value (In Words) : One Thousand Seven hundred Thirty. Sixty Seven Rupees	**GRAND TOTAL**	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE OSMP.

Address Prasanthnagar
RR Nagar
Bsk

GSTIN :

BILL No. **YNK/17/** 07181

DATE : 23/12/17 TIME : 11.40 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps				
	Serial Nos. 3ph CS34535	01	1466.67	1466.	67
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

BESCOM DVN : E9

W.O. No. E-40154 Date 22/12/17

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Rupees Sixty Seven Ps

For **Landis+Gyr Limited**

Signature

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE Sdam.
Address Sarjapura.
Thanisandra.
BL

GSTIN :

BILL No. **YNK/17/** 07176

DATE : 23/12/17 TIME : 11.26 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps				
	Serial Nos. 3/Ph CS34844	01	1466.67	1466.	67
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

BESCOM DVN : G9

W.O. No. E-40853 Date 22/12/17

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty. Sixty Seven Only

For **Landis+Gyr Limited**

Signature

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BBMP

Address Mestri Park. B.L

GSTIN :

BILL No. **YNK/17/** 07174

DATE : 23/12/17 TIME : 11.20 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos. 3 Nos CS34843	01	1466.67	1466.	67
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

BESCOM DVN : E9

W.O. No. E-40855 Date 22/12/17

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty. Sixty Seven Paise

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BESCOM

Address Vidyasoudha
Thanisandra
Blr

GSTIN :

BILL No. **YNK/17/** 07177

DATE : 23/12/17 TIME : 11.30 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ph CS3H531	01	1466.67	1466.	67
			CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	67

BESCOM DVN : E9

W.O. No. E-40881 Date 22/12/17

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty. Sixty Seven Paise

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob. : 9845020536, 9901920004

WORK REPORT

To
AEE BBMP
Byadarayanapura Sub Division
Shabarinagara opposit
Ward No. 06 Council.

No. : 316

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1100 feet		
3.	MS Casing Erected	246 feet.		
4.	1st Water Source at the Deapth	610 feet		
5.	2nd Water Source at the Deapth	750 feet		
6.	3rd Water Source at the Deapth	980 feet.		
7.	4th Water Source at the Deapth	1105 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	7½ HP		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2½ inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP. Byadarayanapura

b) Location of the Site : Bhuvaneshwarinagara Sub Div. Ward no. 06

c) Area of the land :

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Rock

2) Recommended Site for drilling : Ward No. 06

3) Total depth to be drilled : 920' - 1100'

4) Approx. casing pipe required : 180' - 200'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 inch

8) Method of survey carried out : Dowsing Rod Method

9) Remarks : 6½" Dia Ward No 06

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob.: 9845020536, 9901920004

WORK REPORT

To
AEE BBMP
Byatarayanapura Sub division
Sarvajanya Kaval samithi
Ward no-06 Nagasandra

No. : 312

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1148 feet		
3.	MS Casing Erected	229 feet		
4.	1st Water Source at the Deapth	585 feet		
5.	2nd Water Source at the Deapth	710 feet		
6.	3rd Water Source at the Deapth	925 feet		
7.	4th Water Source at the Deapth	1100 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water used		
10.	Motor Pump to be used			
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2½ inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP Bidadarammanagara Sub Div

b) Location of the Site : Sarvarajanagara

c) Area of the land : ~~Near Church~~ Ward No. 06

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss · Granite Gneiss

2) Recommended Site for drilling : W.06

3) Total depth to be drilled : 920' - 1180'

4) Approx. casing pipe required : 176' - 230'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2½ inch

8) Method of survey carried out : Area survey method

9) Remarks : 6½ inch dia Ward No. 06

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಡರಹಳ್ಳಿನಮರ ಉಪ ವಿಭಾಗ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob.: 9845020536, 9901920004

WORK REPORT

To AEE. BBMP.
Byadarayanapura
sub Divn
(Prasannakumara 2nd cross)
Ward no. 06

No. : 315

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165mm dia		
2.	Total Deapth of the Borewell	1106 feet		
3.	MS Casing Erected	236 feet.		
4.	1st Water Source at the Deapth	540 feet		
5.	2nd Water Source at the Deapth	690 feet		
6.	3rd Water Source at the Deapth	890 feet		
7.	4th Water Source at the Deapth	1106 feet.		
8.	If any Silt, Boulders at the Deapth	—		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	used		
11.	Any other Remarks	—		
12.	Total Yeild of the Borewell	2 inch.		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE. Byadarayanapura Sub Divn

b) Location of the Site : Byadarayanapura

c) Area of the land : Ward No-06 2nd Cross

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Gneiss

2) Recommended Site for drilling : Ward No 06

3) Total depth to be drilled : 900' - 1100'

4) Approx. casing pipe required : 180' - 200'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 ಅಂಗುಲ

8) Method of survey carried out : Rock Mass Method

9) Remarks : 6½ ಇಂಚಿನ ಬೋರ್

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob.: 9845020536, 9901920004

WORK REPORT

To AEE BBMP Byatarayanapura Sub Divn
Meshipalya near Church
Ward no. 06

No. : 314

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1148 feet.		
3.	MS Casing Erected	242 feet.		
4.	1st Water Source at the Deapth	585 feet		
5.	2nd Water Source at the Deapth	720 feet		
6.	3rd Water Source at the Deapth	960 feet		
7.	4th Water Source at the Deapth	1108 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	7½ HP		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2½ inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE Bhadrarayanagouda
Bus Driver

b) Location of the Site : Meghiparya near

c) Area of the land : Wandoor of Survey

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss . Granite Gneiss

2) Recommended Site for drilling : W.06

3) Total depth to be drilled : 1000' - 1100'

4) Approx. casing pipe required : 190' - 200'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 ಅಂಗುಲ

8) Method of survey carried out : Electromagnetic method

9) Remarks : 6½ inch dia W.06

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಜಿ.ಪಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob. : 9845020536, 9901920004

WORK REPORT

To AEE BBMP
Byadarayanapura
Bhadrannagara
(Hidesign wine Road)
Ward No. 06

No. : 311

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1141 feet		
3.	MS Casing Erected	213 feet		
4.	1st Water Source at the Deapth	590 feet		
5.	2nd Water Source at the Deapth	785 feet		
6.	3rd Water Source at the Deapth	910 feet		
7.	4th Water Source at the Deapth	1106 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	1½ hp		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2½ inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Ward no.
Bharathinagara
(Chikkenahalli Road)

c) Area of the land : Ward no. 06

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss - Granite Rock

2) Recommended Site for drilling : W 06.

3) Total depth to be drilled : 950' - 1100'

4) Approx. casing pipe required : 180' - 215'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 lpm

8) Method of survey carried out : Electromagnetic method

9) Remarks : 6 1/2 inches in W 06

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob. : 9845020536, 9901920004

WORK REPORT

To AEE BBMP
Byadarayanapura Sub Div
Vidyagayanagar Near Shiva Temple
Ward No. 06.

No. : 313

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1148 feet		
3.	MS Casing Erected	226 feet.		
4.	1st Water Source at the Deapth	575 feet		
5.	2nd Water Source at the Deapth	710 feet		
6.	3rd Water Source at the Deapth	920 feet		
7.	4th Water Source at the Deapth	1098 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	used		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2 inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : ~~AEE Bhatarayanapura~~ Sub Division

b) Location of the Site : Vidyasagara Shiva Temple

c) Area of the land : ~~Ward No. 06~~

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Grano. Granite Gneiss

2) Recommended Site for drilling : W-06

3) Total depth to be drilled : 900' - 1100'

4) Approx. casing pipe required : 175' - 230'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 1/2 inch

8) Method of survey carried out : Dho Rerne Method

9) Remarks : 6 1/2 inch dia W 06

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಕಾವೇರಿ ನೀರಾವರಿ ನಿಗಮ ನಿ., ಶ್ರೀರಂಗಪಟ್ಟಣ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob. : 9845020536, 9901920004

WORK REPORT

To AEE BBMP
Byatarayanapura
Jurisdiction
Anjanadri Layout
Ward no. 06

No. : 309

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1108 feet		
3.	MS Casing Erected	246 feet.		
4.	1st Water Source at the Deapth	570 feet		
5.	2nd Water Source at the Deapth	710 feet		
6.	3rd Water Source at the Deapth	920 feet		
7.	4th Water Source at the Deapth	1108 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	used		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2 inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP Basaveshwaranagara Sub Div

b) Location of the Site : Anganadi Layout

c) Area of the land : Ward no-06

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss - Granite Gneiss

2) Recommended Site for drilling : W-06

3) Total depth to be drilled : 980' - 1160'

4) Approx. casing pipe required : 120' - 280'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 1/2 inch

8) Method of survey carried out : Geo-resistivity method

9) Remarks : 6 1/2 inch dia at W-06

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ವಲಯ ಬೆಂಗಳೂರು

HYDROGEOLOGIST
(B.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob. : 9845020536, 9901920004

WORK REPORT

To AEE BBMP
Byadarayanapura
Sub Divn
Hegdenagara and Main
I^st cross Ward No. 06

No. : 310

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1148 feet		
3.	MS Casing Erected	226 feet		
4.	1st Water Source at the Deapth	570 feet		
5.	2nd Water Source at the Deapth	695 feet		
6.	3rd Water Source at the Deapth	920 feet		
7.	4th Water Source at the Deapth	1095 feet		
8.	If any Silt, Boulders at the Deapth	–		
9.	Nature of Water	Sweet water yield		
10.	Motor Pump to be used			
11.	Any other Remarks	–		
12.	Total Yeild of the Borewell	2 inch		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ./ಬ್ಯಾತರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE : BBMP Byadarahalli Ward Office

b) Location of the Site : Heggenagara 2nd Main 1st Cross.

c) Area of the land :

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Rock

2) Recommended Site for drilling : W 06

3) Total depth to be drilled : 900' - 1200'

4) Approx. casing pipe required : 180' - 240'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2½ inch

8) Method of survey carried out : Electrical Resistivity Method

9) Remarks : 6½ inch dia W 06

P.T.O. : Terms & Conditions

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಕೃಷ್ಣರಾಯನಪುರ ವಾರ್ಡ್

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



SRI BAALAMURUGAN BOREWELLS

Hennur-Bagalur Road, opp. Vijaya Bank, Kothanur, Bangalore
Mob.: 9845020536, 9901920004

WORK REPORT

To
AEE BBMP
Byatarayanapura Sub Division
Hegdenagara Main road.
Ward no. 08

No. : 317

Date :

S.No.	Particulars	Rft	Water Yeild	Remarks
1.	Size of the Borewell	165 mm dia		
2.	Total Deapth of the Borewell	1148 feet		
3.	MS Casing Erected	226 feet		
4.	1st Water Source at the Deapth	640 feet		
5.	2nd Water Source at the Deapth	890 feet		
6.	3rd Water Source at the Deapth	1010 feet		
7.	4th Water Source at the Deapth	1100 feet		
8.	If any Silt, Boulders at the Deapth	-		
9.	Nature of Water	Sweet water		
10.	Motor Pump to be used	10 HP		
11.	Any other Remarks	-		
12.	Total Yeild of the Borewell	2.0 inch.		

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Thanking You

Yours faithfully
For Sri Baalamurugan Borewells

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP. Byadarayanapura Sub Div
b) Location of the Site : ~~Kogilu Layout~~ Ward No. 06.
c) Area of the land :

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Terrain

2) Recommended Site for drilling : W.06
3) Total depth to be drilled : 900' - 1100'
4) Approx. casing pipe required : 180' - 220'
5) No. of water bearing Zones : - 4 -
6) No. of favourable spots marked : - 8 -
7) Qty. of water expected : 2 inch
8) Method of survey carried out : Geo Electrical Method
9) Remarks : 6 ½ inch dia Nos

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ.ಬೃ.ಮ.ಪಾ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN